

### **SPECIFICATIONS**

Item No.: ACA2200

Description: High Accuracy Digital Type Dual-Axis Inclinometer

with Full Temperature Compensation

#### **Production implementation standard reference**

- Enterprise quality system standards: ISO9001: 2008 standard (certification number: 128101)
- Tilt sensor production standards: GB / T 191 SJ 20873-2003 inclinometer general specification of Level
- •The Academy of metrology and quality inspection Calibrated in accordance to: JJF1119-2004 Electronic Level calibration Specification
- Gyro accelerometer test standard: QJ 2318-92 Gyro accelerometer test methods
- Software development reference standard: GJB 2786A-2009 military software development General requirements
- Product environmental testing standards: GJB150
- Electromagnetic anti-interference test standards: GB / T 17626
- Version: Ver.09
- Date:2014.3.11





#### **General Description**

ACA2200 is a analog balanced servo inclinometer which manufactured by Rion company, the principle is composed of the non-contact displacement sensor, torque motor, error & amplifier circuit, the feedback circuit and cantilever mass five parts. This series inclinometer accuracy is far superior than the inclinometer relative to the electrolyte principle or the capacitance principle on the nonlinearity,repeatability, hysteresis, temperature drift and working temperature, resistance shock anti-vibration and other properties. Internal integration of the 24 ARM high-end system,resolution 0.0001 °, precision 0.001 °, temperature drift: 0.0008 ° C / °, response frequencies up to 300Hz (baud rate 115200), it is a highly competitive industry product nowadays. Non-contact installation features make ACA2200 with superior system integration, Simply fix the sensor on the measured surface by screws, then can automatically calculate the object posture inclination, easy to use, no need to find the relative change two surfaces for mounting. With strong ability resistance to external electromagnetic interference and to withstand shock and vibration, in the domestic counterparts products with absolute competitive advantage, specialized in application in the industrial and military fields where the high-end user requirements.

#### **Features**


- •Dual-Axis Inclinometer
- •Response frequence: 300Hz
- Wide temperature working: -40∼+85°C
- Size:110x65x40mm(customized)
- ●Output mode RS232、RS485、TTL、PWM are optional
- Measuring Range :±1~±90° optional
- Wide voltage input: 9∼36V
- Resolution: 0.0001°
- •IP67 protection class
- Water-proof air-plug

#### Application:

- •Engineering vehicles automatic leveling
- Precise equipment level control
- •Underground drill posture navigation
- •Based on the angle direction measurement
- Bridge & dam detection
- Medical facilities angle control
- Railway gauging rule , gauge equipment leveling
- Geological equipment inclined monitoring
- •Directional satellite communications antenna pitching angle measurement



#### **Ordering information:**



E.g: ACA2200-05-232: Dual-axis/±5°Measuring range/RS232 output

#### **Technical Data**

Parameters Cor	nditions				Unit
Measuring		±05	±10	±15	0
range					
Measuring axis		X, Y	XY	XY	
Resoluition		0.0001	0.0001	0.0001	0
Absolute		0.003	0.005	0.006	0
accuracy					
Long term		0.002	0.003	0.005	
stability					
Zero	-40∼85°	±0.0008	±0.0008	±0.0008	°/°C
temperature					
coefficient					
Sensitivity	-40∼85°	≤50	≤50	≤50	ppm/
temperature					℃
coefficient					
Power on time		0.3	0.3	0.3	S
Response time		0.005	0.005	0.005	S
Output rate	5Hz、15Hz、35Hz、50Hz、100Hz、300Hz can be set				
Out signal	RS232/RS485/RS422/TTL/CAN				
Electromagnetic	According to EN61000 and GBT17626				
compatibility					
MTBF	≥50000hours / times				
Insulation	≥100M				
Resistance					
Shockproof	100g@11ms、imes/Axis(half sinusoid)				
Anti-vibration	10grms、10∼1000Hz				
Protection glass	IP67				
Cables	Standard 1M length、wearproof、wide temperature、				
	Shielded cables4*0.4mm2 air-plug connector				
Weight	150g(without cable )				

#### **Electronic Characteristics**

Parameters	Conditions	Min	Standard	Max	Unit
Power supply	Standard	9	24	36	V
	customized		Other voltage		V
Working current	No-load		50		mA
Working temperature		-40		+85	$^{\circ}$
Store temperature		-55		+100	$^{\circ}$

#### Key words:

Resolution: Refers to the sensor in measuring range to detect and identify the smallest changed value.

Absolute accuracy: Refers to in the normal temperature circumstances, the sensor absolute linearity,

repeatability, hysteresis, zero deviation, and transverse error comprehensive error.

Long term stability: Refers to the sensors in normal temperature conditions, the deviation between the

maximum and minimum values after a year's long time work.

Response time: Refers to the sensor in an angle change, the sensor output value reached the standard

time required.

#### **Mechanical Parameters**


o Connectors: 1m cable with air-plug connector (customized)

Protection glass: IP67(air plug connector)
Enclosure material: Aluminum Shield Oxide

o Installation: 4\*M5 screws

#### **Measuring Directions&Fix**


The installation must guarantee the product bottom is parallel to measured face, and reduce the influence of dynamic and acceleration to the sensor. This product can be installed horizontally or mounted vertically (mounted vertically selection is only applicable to the single axis), for installation please refer to the following scheme.



#### **Production installation notes:**


Please follow the correct way to install tilt sensor, incorrect installation can cause measurement errors, with particular attention to the "surface", "line":: 1) The Sensor mounting surface and the measured surface must be fixed closely, smoothly, stability, if mounting surface uneven likely to cause the sensor to measure the angle error. See Figure Pic.AB


2) The sensor axis and the measured axis must be parallel ,the two axes do not produce the angle as much as possible. See Figure Pic.CD



#### **Electrical connection**


#### 1: RS232





#### 2: RS485

Color BLACK WHITE BLUE BROWN GRAY






#### 3: RS422



#### **Dimension**




Size:110x65x40mm(customized)

#### **RION** serial port tester software

You can download the RION angle debugging software from RION's official website for the preliminary angle debugging, also you Can download public version of the serial port assistant software on line for

using.



Open/Close: Open and close COM port;

Com: Select the the device corresponding to the COM port

Address: Fill in the sensor current address code, the factory default is 00

Set Address: Set the sensor address code input box on the right to enter the desired address code, click Set Addr button

Save Data: Save the data, click here data can be synchronized Save angle data, the file is stored by default in the C: ---- COMDATA file

Set Zero: Set relative zero, the sensor current angle is 00.00 degrees

Cancel Zero: Unset the relative zero, to restore the sensor to the factory absolute zero;

Baud Rate: Select the sense baud rate, the factory default is 9600;

Set Baud Rate: Set the sensor baud rate, on the right of the selection box to select corresponding baud rate then click SetB.R. button;

Auto Output: Switch the sensor to automatically output mode, in the automatic output mode can be filled with different output frequency in Hz;

Catechism: The sensor switch to answer pattern, such as choosing the answer type, must input "send command" (command, please refer to the specification) on the left of "Send Command" input box, but also can fill in the transmit frequency in the Send Data, the unit Hz;

Note: after install the RION's debugging software, if can not open, please operate by the following steps (please appear to the administrator status to operate):


- Copy these three files mscomm.srg、mscomm32.ocx、mscomm32.dep from the folder to C:/Windows/system32 path below。
- 2) Click "Start" "run" -- regsvr32 mscomm32.ocx, You are prompted to install successful dialog.

#### **Product Protocol**

#### 1.DATA FRAME FORMAT:

(8 bits date, 1 bit stop, No check, Default baud rate 9600)





Identifier (1byte)	Date Length (1byte)	Address code (1byte)	Command word (1byte)	Date domain	Check sum (1byte)
68					

Date format: hexadecimal Identifier: Fixed68

Data length: From data length to check sum (including check sum) length


Address code: Accumulating module address, Default:00

Date domain will be changed according to the content and length of command word Check sum: Data length, Address code, Command word and data domain sum, No carry.

#### **□** COMMAND word analysis

Desc.	Meaning/Example	Description
0x01	read X axis angle command	data field(0 byte)
	eg: 68 04 00 01 05	no data field command
0x81	sensor responds eg: 68 07 00 81 10 26 87 60 A5	data field(4 byte) SS AA BB BB, data field is 4 bytes responding angle value(BCD compressed code), SS is sign bit(00 is positive, 10 is negative), AA is two digit integer value, BBBB is three digit decimal. other axis data is the same. eg: 10268760 indicates -26.8760 deg
0x02	responding command read Y	data field(0 byte)
	axis angle	no data field command
0x82	sensor responds	"data field(4 byte) SS AA BB BB, data field is
	eg 68 07 00 82 00 16 25 05 C9"	4 bytes responding angle value(BCD compressed code), SS is sign bit(00 is
		positive, 10 is negative), AA is two digit
		integer value, BBBB is three digit decimal.
		other axis data is the same.
		eg: 00162505 indicates +16.2505 deg
0X04	Meanwhile read angle command	Data domain(0byte)
	E.g: <b>68 04 00 04 08</b>	No Data domain command
0X84	sensor data response	data field(9byte)
	Eg:	68 is prefix of data packets, fixed.
	68 0D 00 84 00 20 10 10 40	OD is data lenght, fixed.
	00 05 05 00 3B	00 is address code, revisable. 84 is command code, fixed.
		00 20 10 the three red bytes are the X axis
		returned angle value in compact BCD code.
		the high order 0 of first byte is sign bit(0:
		positive; 1: negative), 02 are two digit integer
		value, 010 are three decimal digit. other
		axis data analysis method is similar.

		to X axis.
		temperature value, analysis method is similar to X axis.
		3B check sum, hexadecimal sum of all
		data, exclude prefix 68,
		if surpass one byte, pick
		low-order.
0X05	Setting relative/absolute ZERO:	Data domain
	Can set the current angle to	(1byte)
	Zero degree, relative	00: absolute ZERO
	measurement, can also be set to	01: relative ZERO
	absolute ex-factory zero, power off	
	save	
21/27	E.g: <b>68 05 00 05 00 0A</b>	
0X85	Sensor answer reply command	Data domain (1byte)
	E.g: <b>68 05 00 85 00 8A</b>	Data domain in the number means the sensor
		response results
		00 Setting successfully
0X0B	Setting communication rate	FF Setting failure
UXUB	Setting communication rate E.g: 68 05 00 0B 03 13	Data domain (1byte) Baud rate: default:9600
		00 means 2400
	The command setting is effective after power off then restart	00 means 2400 01 means 4800
	( power off with save function)	02 means 9600
	( power on with save function)	03 means 19200
		04 means 38400
OVER	Songor answer raply command	05 means 115200
0X8B	Sensor answer reply command	05 means 115200  Data domain (1byte)
0X8B	Sensor answer reply command E.G:68 05 00 8B 90	05 means 115200  Data domain (1byte)  Data domain in the number means the sensor
0X8B		05 means 115200  Data domain (1byte)  Data domain in the number means the sensor response results
	E.G:68 05 00 8B 90	05 means 115200  Data domain (1byte)  Data domain in the number means the sensor response results  00 Success FF Failure
OX8B	E.G:68 05 00 8B 90  Setting sensor output mode	05 means 115200  Data domain (1byte)  Data domain in the number means the sensor response results  00 Success FF Failure  Data domain
	E.G:68 05 00 8B 90  Setting sensor output mode Response rule;	05 means 115200  Data domain (1byte) Data domain in the number means the sensor response results 00 Success FF Failure  Data domain (1byte) Factory default: 00
	E.G:68 05 00 8B 90  Setting sensor output mode Response rule; Need upper computer send	05 means 115200  Data domain (1byte)  Data domain in the number means the sensor response results  00 Success FF Failure  Data domain  (1byte) Factory default: 00  00 Answer reply mode
	E.G:68 05 00 8B 90  Setting sensor output mode Response rule;	05 means 115200  Data domain (1byte)  Data domain in the number means the sensor response results  00 Success FF Failure  Data domain  (1byte) Factory default: 00  00 Answer reply mode  01 5Hz Automatical output mode
	E.G:68 05 00 8B 90  Setting sensor output mode Response rule; Need upper computer send reading angle command, the sensor answer	05 means 115200  Data domain (1byte)  Data domain in the number means the sensor response results  00 Success FF Failure  Data domain  (1byte) Factory default: 00  00 Answer reply mode  01 5Hz Automatical output mode
	E.G:68 05 00 8B 90  Setting sensor output mode Response rule; Need upper computer send reading angle command, the	05 means 115200  Data domain (1byte)  Data domain in the number means the sensor response results  00 Success FF Failure  Data domain  (1byte) Factory default: 00  00 Answer reply mode  01 5Hz Automatical output mode  02 15Hz Automatical output mode
	E.G:68 05 00 8B 90  Setting sensor output mode Response rule; Need upper computer send reading angle command, the sensor answer the corresponding angle Automatic output rule:	05 means 115200  Data domain (1byte)  Data domain in the number means the sensor response results  00 Success FF Failure  Data domain  (1byte) Factory default: 00  00 Answer reply mode  01 5Hz Automatical output mode  02 15Hz Automatical output mode  03 25Hz Automatical output mode  04 35Hz Automatical output mode
	E.G:68 05 00 8B 90  Setting sensor output mode Response rule; Need upper computer send reading angle command, the sensor answer the corresponding angle Automatic output rule: The sensor with power on can	Data domain (1byte) Data domain in the number means the sensor response results 00 Success FF Failure  Data domain (1byte) Factory default: 00 00 Answer reply mode 01 5Hz Automatical output mode 02 15Hz Automatical output mode 03 25Hz Automatical output mode 04 35Hz Automatical output mode 05 50Hz Automatical output mode
	E.G:68 05 00 8B 90  Setting sensor output mode Response rule; Need upper computer send reading angle command, the sensor answer the corresponding angle Automatic output rule: The sensor with power on can Automatically output X angle,	Data domain (1byte) Data domain in the number means the sensor response results 00 Success FF Failure  Data domain (1byte) Factory default: 00 00 Answer reply mode 01 5Hz Automatical output mode 02 15Hz Automatical output mode 03 25Hz Automatical output mode 04 35Hz Automatical output mode 05 50Hz Automatical output mode
	Setting sensor output mode Response rule; Need upper computer send reading angle command, the sensor answer the corresponding angle Automatic output rule: The sensor with power on can Automatically output X angle, output frequency is 20HZ	Data domain (1byte) Data domain in the number means the sensor response results  00 Success FF Failure  Data domain (1byte) Factory default: 00  00 Answer reply mode 01 5Hz Automatical output mode 02 15Hz Automatical output mode 03 25Hz Automatical output mode 04 35Hz Automatical output mode 05 50Hz Automatical output mode 06 100 Hz Automatical output mode 07 200Hz Automatical output mode
	E.G:68 05 00 8B 90  Setting sensor output mode Response rule; Need upper computer send reading angle command, the sensor answer the corresponding angle Automatic output rule: The sensor with power on can Automatically output X angle,	Data domain (1byte) Data domain in the number means the sensor response results  00 Success FF Failure  Data domain (1byte) Factory default: 00  00 Answer reply mode 01 5Hz Automatical output mode 02 15Hz Automatical output mode 03 25Hz Automatical output mode 04 35Hz Automatical output mode 05 50Hz Automatical output mode 06 100 Hz Automatical output mode 07 200Hz Automatical output mode





	command	Data domain in the number means the sensor
	E.g: <b>68 05 00 8C 00 91</b>	response results
		00 Success FF Failure
	Setting the address to 01	
	68 05 FF 0F 00 13	
	Use the common address reset	
	address to 00	
0X8F	The sensor answer reply	Data domain (1byte) ,
	E.g: 68 05 00 8F 94	Data domain in the number means the sensor
		response results
		Success FF Failure
OXOD	Check relative/absolute ZERO	Data domain( 0 byte)
	Used to check the current ZERO	00 No data domain
	mode of the sensor is relative	
	zero or absolute zero	
	Eg.: <b>68 04 00 0D 11</b>	
OXOD	Query relative/absolute ZERO	Data domain (0byte)
	Used to query the sensor current	No data domain commands
	ZERO mode is relative ZERO	
	or absolute ZERO	
	E.g : <b>68 04 00 0D 11</b>	
0X8D	The sensor answer reply	Data domain (1byte),
	command	Data domain in the number means the sensor
	E.g: <b>68 05 00 8D 00 92</b>	response results
		00 Absolute ZERO
		01 Relative ZERO



\*More products information, please refer to the company's Website : www.rion-tech.net

